

2217-973

11/27/2012

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

November 27, 2012

James Kunstman
PBI /Gordon Corporation
P.O. Box 014090
Kansas City, MO 64101

Subject: Notification per PR Notice 98-10
EH-1524 Herbicide
EPA Reg. No. 2217-973
Application Dated October 11, 2012

Dear Dr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request and finds that the action falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Mindy Ondish, for

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
 Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217- 973	2. EPA Product Manager Kathryn V. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EH-1524 Herbicide	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

I. Labeling notification per PRN 98-10, Sec II (N).

We ask to include additional ad claims which are consistent with previously approved claims.
 Please refer to page 7 of the draft labeling.

e-mail to jkunstman@pbigordon.com FAX: 816-421-2731
NOTIFICATION
NOV 27 2012

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container
		If "Yes" Package wgt.	No. per Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 10-40 pounds	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name James L. Kunstman, Ph.D.	Title Director of Regulatory Services	Telephone No. (Include Area Code) 816-460-6292	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Director of Regulatory Services		
4. Typed Name James L. Kunstman, Ph.D.	5. Date October 11, 2012		

October 11, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Kathryn V. Montague, PM-23

Dear Ms. Montague:

**Subject: Notification per Pesticide Registration Notice (PRN) 98-10:
EH-1524 Herbicide (EPA Reg. No. 2217-973)**

I. Labeling notification per PRN 98-10, Sec II (N).

We ask to include additional ad claims which are consistent with previously approved claims.
Please refer to page 7 of the draft labeling.

II. Certification statement: This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

III. Enclosures:

1. Application
2. One (1) copy of draft labeling without annotations
3. One (1) copy of draft labeling with annotations
4. One (1) cd containing copies of the draft labeling

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,



James L. Kunstman, Ph.D.
Director of Regulatory Services

EH-1524 HERBICIDE

NOTIFICATION

NOV 27 2012

EPA Reg. No. 2217-973

ACTIVE INGREDIENTS:

2,4-D	0.675%
Dicamba	0.060%
Dithiopyr	0.121%
Quinclorac	0.346%
OTHER INGREDIENTS:	98.798%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

13.50 lb 2,4-dichlorophenoxyacetic acid equivalent per ton (CAS 1928-43-4)

1.20 lb 3,6-dichloro-o-anisic acid equivalent per ton (CAS 1918-00-9)

2.42 lb dithiopyr per ton (CAS 97886-45-8)

6.92 lb quinclorac per ton (CAS 84087-01-4)

Isomer Specific By AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.

If on skin or on clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

These chemicals (2,4-D and dicamba) have properties and characteristics associated with chemicals detected in groundwater. The use of these chemicals in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Precautions and Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed or for research purposes.
- EH-1524 Herbicide is not sold, distributed, or registered within the state of New York. Do not use in the state of New York.

Product Description

[Product name] is formulated [designed] to control most annual grasses and broadleaf weeds commonly found in home lawns. The product contains four different herbicides.

- The four herbicides combine to kill many different kinds of weeds at different stages of development.
- Grass weeds: Preemergent control of crabgrass, foxtails, and other annual grass weeds. Postemergent control of crabgrass.
- Broadleaf weeds: Preemergent control of [chickweed, henbit, knotweed, shepherdspurge, spurge, woodsorel, and other] broadleaf weeds. Postemergent control of [over] [XXX] broadleaf weeds including dandelion, chickweed, thistle and clover. [A partial list of broadleaf weeds is presented on this label.]

2. Where To Use

[Product name] may be used on the following established turf species:

Established Cool Season Turfgrass: Kentucky bluegrass, rough bluegrass (*Poa trivialis*), perennial ryegrass, fine fescues, tall fescue, seashore paspalum

Established Warm Season Turfgrass: Bermudagrass, buffalograss, zoysiagrass

[Product name] may NOT be used on: annual bluegrass (*Poa annua*), bahiagrass, bentgrass, carpetgrass, centipedegrass, dichondra, St. Augustinegrass. Do not use this product on turfgrass where desirable clovers are present.

Guidelines to follow: The use of [product name] on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, chemical injury, disease, insects, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury. Allow turfgrass weakened by these stresses to recover before application of this product.

WEEDS CONTROLLED			
When applied as directed, this product will control and/or suppress* the following weeds:			
Annual Grass Weeds:			
Annual bluegrass (<i>Poa annua</i>) Annual ryegrass	Barnyardgrass* Crabgrass (smooth, southern, large)	Foxtail (green, yellow, giant)	Goosegrass* (crowfootgrass)
A partial listing of established broadleaf weeds: [see appendix for complete list or include here]			
Bedstraw Beggarticks Black medic Broadleaf plantain Buckhorn plantain Burclover Burdock Carpetweed Chickweed, common Chickweed, mouseear Chicory Clover, hop Clover, strawberry Clover, white	Curly dock Daisy, oxeye Dandelion Dichondra False dandelion Ground ivy Healall Henbit Knotweed Lambsquarters Lespedeza Mallow Matchweed Morningglory	Mustard Narrowleaf plantain Oxalis Parsley-piert Pearlwort Pennycress Pepperweed Pigweed Plantain Poison ivy Poison oak Pokeweed Purslane, common Ragweed	Red sorrel Redroot pigweed Sheep sorrel Shepherdspurse Slender plantain Smooth dock Smooth pigweed Spurge Thistle Woodsorrel Yarrow and other broadleaf weeds
* for acceptable control of barnyardgrass and goosegrass, two applications made at a 6 to 10 week interval are needed			

3. When To Apply

This product may be applied as a single application or as split applications in the spring, early summer, or fall.

For annual grasses such as crabgrass (smooth, southern and large) and foxtail (green, yellow, and giant): Apply in the spring and early summer. For best results, apply this product from 2 weeks before weed germination until the weed is 4 inches tall. For dense populations, make a second application no sooner than 30 days after the first application.

For broadleaf weed control: Spring applications: for [choose weeds from broadleaf weed list]. Fall applications: for [choose weeds from broadleaf weed list]. For best results, apply when broadleaf weeds are young and actively growing with adequate soil moisture and favorable temperatures (50° to 80°F).

4. How To Apply

- This product needs to stick to the leaves of broadleaf weeds and should be applied when the grass is wet from dew or rain.
- Poor results will occur if applied to dry lawns. When dry conditions exist, irrigate [or water] the turfgrass 24 hours before application.
- For best results, irrigate after the application. However do not irrigate [or water] sooner than 24 hours after application.
- Apply this product when the wind is calm.
- Do not spread granules onto flowers, vegetables, and ornamental shrubbery.

- 7/11
- Turf species listed on this label can be seeded, sodded, sprigged, or plugged into the treated areas 4 weeks after the application of this product.
 - When treating newly planted areas, wait approximately 6 weeks after seedling emergence before applying this product.
 - Delay mowing 2 days before and until 3 days after the application of this product. Additional stress from low mowing heights may increase the possibility of turf injury.
 - Clippings from the first three mowings should be left on the treated area. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.

5. How Much To Use

Use a drop or rotary spreader designed to apply granular herbicides. Avoid skips or excessive overlaps as poor weed control or turfgrass injury may result.

[Apply 2.4 to 4.5 pounds of product per 1,000 sq.ft. per application to established turfgrass.] [Apply [2.4] [3.6] [4.5] pounds of product per 1,000 sq.ft. per application to established turfgrass.]

[For products using the 4.5 lb/1000 sq.ft. rate:] The maximum broadcast application rate is 4.5 pounds of product per 1,000 sq.ft. per application [1.32 lb 2,4-D ae, 0.12 lb dicamba ae, 0.24 lb dithiopyr, and 0.68 lb quinclorac per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum annual (seasonal) rate is 9 pounds of product per 1,000 sq.ft. [2.65 lb 2,4-D ae, 0.24 lb dicamba ae, 0.48 lb dithiopyr, and 1.36 lb quinclorac per acre].

[For products using the 3.6 lb/1000 sq.ft. rate:] The maximum broadcast application rate is 3.6 pounds of product per 1,000 sq.ft. per application [1.06 lb 2,4-D ae, 0.09 lb dicamba ae, 0.19 lb dithiopyr, and 0.54 lb quinclorac per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum annual (seasonal) rate is 7.2 pounds of product per 1,000 sq.ft. [2.12 lb 2,4-D ae, 0.19 lb dicamba ae, 0.38 lb dithiopyr, and 1.08 lb quinclorac per acre].

[For products using the 2.4 lb/1000 sq.ft. rate:] The maximum broadcast application rate is 2.4 pounds of product per 1,000 sq.ft. per application [0.71 lb 2,4-D ae, 0.06 lb dicamba ae, 0.13 lb dithiopyr, and 0.36 lb quinclorac per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum annual (seasonal) rate is 4.8 pounds of product per 1,000 sq.ft. [1.42 lb 2,4-D ae, 0.12 lb dicamba ae, 0.26 lb dithiopyr, and 0.72 lb quinclorac per acre].

SUGGESTED SPREADER SETTINGS

[Note to reader: A listing of spreaders and suggested settings for the application rate of 2.4 to 4.5 lb per 1,000 sq.ft. will be presented on the container labels.]

The above spreader settings are approximate. The age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CALIBRATION INSTRUCTIONS [examples]:

- For 4.5 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 220 square feet and adjust to apply at the rate of 1 pound of product per 220 square feet.
- For 3.6 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 1 pound of product per 275 square feet.
- For 2.4 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 420 square feet and adjust to apply at the rate of 1 pound of product per 420 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep in original container in a cool, dry area, away from extreme heat and cold.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container (bag). Completely empty bag into application equipment. **If empty:** Place bag in trash or offer empty bag for recycling if available. **If partly filled:** Call your local solid waste agency [or www.website.com] for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Weight _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Use [Apply] where [anytime] weeds are actively growing.
- Use [Apply] anytime [when] crabgrass [weed] seeds are germinating.
- Prevents [Stops] crabgrass and certain broadleaf weeds [weed seed] [from germinating] [for up to XXX months]
- Kills [Controls] existing crabgrass and prevents crabgrass seed germination
- Prevents [crabgrass] [weed seed germination] [and] kills existing weeds in one step
- Apply Spring and Fall
- Controls [kills] desired weed species [from attached listing may be inserted here] and other grass and broadleaf weeds [and many other listed broadleaf weeds].
- Controls major [listed] weeds [as listed] for XX [weeks] [months]
- [Complete] [Total] weed control for XX [weeks] [months]
- Eliminates lawn weeds as listed pre and post emergent control of [crabgrass] [grassy and broadleaf weeds]
- Control of grass and broadleaf weeds [as listed]!
- Kills [Controls] over XXX grass and broadleaf weeds
- Kills the weeds present in your lawn & prevents more from growing

- Kills two types of weeds with one product
- Kills [listed] major weeds [as listed]
- Kills and prevents major lawn weeds
- Kills and prevents dandelion, clover and crabgrass!
- Kills existing weeds & prevents new ones from growing
- Kills dandelion, crabgrass and more
- Northern and Southern Grasses, Bluegrass, Fescue, Zoysia, Bermuda, Perennial Ryegrass
- Treats Northern and Southern Grasses
- Kills [Over] [XXX] [+] Weeds [Weed Types], Even [Including] the Roots.
- Especially effective on hard-to-kill weeds
- Kills broadleaf weeds in lawns
- Kills major broadleaf weeds, even the roots. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds.
- Use on Lawns to Kill the Toughest Weeds like Clover and dandelion.
- Tough weed killer
- Kills [Destroys] [even] the tough[est] [hard-to-kill] broadleaf weeds [like clover, dandelion, oxalis]
- Kills [major] broadleaf weeds [like clover, dandelion, oxalis]
- Provides broadleaf control
- Controls [Kills] clover, dandelion, plantain, chickweed and [other broadleaf,weeds] [others as listed]
- Clobbers clover
- Kills the root
- Kills weed roots!
- Kills tough lawn weeds
- Consistently fast on: tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- For home lawn care
- For a beautiful lawn
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns
- Targets weeds, leaves [grasses][the lawn] unharmed
- Controls Dandelion, White Clover, Plantain, Chickweed, Spurge and Many Other Listed Weeds
- Especially Effective on Hard-to-Kill Weeds
- Kills major broadleaf weeds including roots. And (brand name) is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- For use on: Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, zoysiagrass, hybrid bermudagrass
- [brand name] Turf Note – Control Those Pesky Weeds
 - Many broadleaf weeds [chickweed, henbit] germinate in the fall but are not visible in your lawn until spring. Applying (product name) in the fall can provide effective results. If needed, you can make a follow-up application in the spring.
- Project Guide – For a thicker, greener, more beautiful lawn, follow (Product Program). It's easy to follow and can be started at anytime by simply applying the product that corresponds with the current season!
- Proper watering and mowing practices along with regular feedings will help promote a beautiful green lawn.
- One application does it all - crabgrass, dandelion, viney weeds, even clover.
- Covers [up to] [XXXX] sq.ft.
- Controls [names of weeds from weed list] [and other broadleaf weeds]
- One Application in Spring Provides Control Well into Summer.
- Covers [X,XXX] [XX,XXX] square feet [sq ft] [sq. ft.].
- Guaranteed [Results] or Your Money Back*

- If you are not satisfied with this product for any reason, send your written request for a refund to the address at left, together with the original dated store receipt showing the price you paid. Please allow 6 to 8 weeks for processing.

- Only brand (product) with season long feeding!
- One application. (XX) months continuous feeding guaranteed! (*or your money back)
- [1] [One] application and done for a season
- [1] [One] application and done for a year
- A green, vigorous lawn with just one fertilizer application
- Promotes a deep, strong root system that requires less watering
- Contains time-released nitrogen [for extended, even feeding]
- Promotes thick, green growth! [without burning your lawn]
- Phosphorus free
- Greens quickly and feeds all year long - Guaranteed! (*or your money back)
- People and pets may reenter treated area once dust has settled
- Feeds your lawn [for XX months]
- Will not burn [your] Lawn! (*when used as directed)
- Time release technology
- Scan to learn more (QR Code)
- [3] [N] [1] [3 in 1] - Feeds your lawn [for XX months] Kills Existing Listed Weeds and Prevents New Weeds from Growing [Emerging]
- Kills Existing Listed Weeds
- Prevents New Weeds from Growing [Emerging]
- Eliminates listed lawn weeds - one application does it all - crabgrass, dandelion, clover and [many] other listed weeds
- Eliminates listed lawn weeds
- One application does it all - crabgrass, dandelion, clover and [many] other listed weeds
- Dual Action - Prevents and Kills Crabgrass and Listed Broadleaf Weeds
- 2 in 1 - Kills existing weeds and prevents new weeds from growing [emerging]
- One application, kills & prevents crabgrass all season long
- [Creates] soil barrier [to] prevent[s] new weeds [from germinating]
- Prevents [Controls] Crabgrass for up to 5 months
- Kills and prevents tough weeds

3. Trademark acknowledgement statements:

- DIMENSION® is a registered trademark of Dow AgroSciences, L.L.C.
- TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

Broadleaf Weeds: [Controls][Kills][253][more than ###] weeds! (List of weeds may include the following):			
Amaranth, purple	Cupid shaving Brush	Mustard, ball	Speedwell, common
Amaranth, slender	Cudweed	Mustard, black	Speedwell, corn
Aster, heath	Daisy, English	Mustard, blue	Speedwell, ivyleaf
Aster, white heath	Daisy, oxeye	Mustard, hedge	Speedwell, persian
Aster, purple	Dandelion, common	Mustard, indian,	Speedwell, purslane
Aster, white prairie	Dandelion, false	Mustard, tansy	Speedwell, slender
Artichoke	Day flower	Mustard, tumble	Speedwell, snow
Austrian fieldcress	Deadnettle	Mustard, white	Speedwell, thymeleaf
Bedstraw, Catchweed	Dichondra	Mustard, wormseed	Spiny amaranth
Bedstraw, smooth	Dock, broadleaf	Nettle, stinging (burning)	Spurge, spotted
Bedstraw, Northern	Dock, curly	Nettle, tall	Spurge, prostrate
Bedstraw, pineywoods	Dogbane	Nettle, wood	Spurweed
Beggarticks, hairy	Dogfennel	Parsley-piert	Star of Bethlehem
Betony, Florida	Dollarweed	Parsnip	Strawberry, India mock
Bindweed, Field	(Pennywort)	Pearlwort	Tansy ragwort
Bindweed, Hedge	Dove weed	Pennycress (frenchweed)	Tanweed
Bitter Wintercress	Elderberry	Mugwort	Thistle, blessed
Bittercress, hairy	Falseflax	Pepperweed, perennial	Thistle, bull

Broadleaf Weeds: [Controls][Kills][253][more than ###] weeds! (List of weeds may include the following):			
Bitterweed	False sunflower	Pepperweed, virginia	Thistle, canada
Black-eyed Susan	Fiddleneck	(Peppergrass)	Thistle, flodman (prairie)
Black Medic	Filaree, redstem	Pigweed, prostate	Thistle, musk
Blood flower milkweed	Filaree, whitestem	Pigweed, redroot	Thistle, platte
Blue lettuce	Fleabane, daisy	Pigweed, russian	Thistle, plumeless
Brassbuttons	(annual)	Pigweed, smooth	Thistle, russian
Bristly oxtongue	Fleabane, rough	Pigweed, tumble	Thistle, scotch
Broomweed	Galinsoga, hairy	Pineapple weed	Thistle, wavyleaf
Buckhorn	Galinsoga, smallflower	Plains coreopsis (tickseed)	Thistle, yellow (horrible)
Bullnettle	Goldenrod	Plantain, blackseed	Trailing crownvetch
Burclover	Ground ivy	Plantain, bracted	Velvetleaf
Burdock	Groundsel	Plantain, broadleaf	Vervain, blue
Burweed, lawn (spurweed)	Gumweed	Plantain, buckhorn	Vervain, hoary
Buttercup, bulbous	Hairy fleabane	Plantain, hoary	Vervain, prostrate
Buttercup, creeping	Hawkweed, meadow	Plantain, narrowleaf	Vervain, tall
Buttonweed, common	Hawkweed, mouseear	Plantain, slender	Vetch, bird
(poorjoe)	Hawkweed, orange	Plantain, woolly	Vetch, hairy
Buttonweed, virginia	Hawkweed, yellow	Poison ivy	Vetch, milk
Carolina geranium (wild)	Healall	Poison oak	Vetch, narrowleaf
Carpetweed	Heartleaf drymary	Pokeweed	Vetch, wild
Catnip	Hemp	Prairie Sunflower	Virginia creeper
Catsear, spotted (false dandelion)	Henbit	Prickly lettuce (compass plant)	Western clematis
Chamber bitter	Hoary cress	Prickly sida	Western salsify
Chickweed, common	Horsenettle	Prostrate knotweed	Wild aster
Chickweed, mouseear	Horseweed	Puncturevine	Wild buckweat
Chickweed, sticky	Jimsonweed	Purslane, common	Wild carrot
Chicory	Johnny-Jumpup violet	Pusley, brazil	Wild four-o'clock
Cinquefoil	Knawel	Pusley, florida	Wild garlic
Clover, crimson	Knotweed, prostrate	Pusley, large flower	Wild lettuce
Clover, alyce	Kochia	Ragweed, bur	Wild marigold
Clover, hop	Lambsquarters	Ragweed, common	Wild mustard (yellow rocket)
Clover, rabbit foot	Lespedeza	Ragweed, lanceleaf	Wild onion
Clover, red	Mallow, alkali	Ragweed, western	Wild parsnip
Clover, strawberry	Mallow, bristly	Redstem filaree	Wild radish
Clover, yellow sweet	Mallow, common	Rough cinquefoil	Wild rape
Clover, white sweet	Mallow, dwarf	Scarlet pimpernel	Wild strawberry
Clover, white	Mallow, venice	Shepardspurse	Wild sweet potato
Cockle	Marcela	Smartweed, ladysthumb	Wild violet
Cocklebur	Matchweed	Smartweed, pale	Woodsorrel, creeping
Cocklebur, oriental	Mexicanweed	Smartweed, pennsylvania	Woodsorrel, violet
Cocklebur, spiny	Moneywort	Smooth chaff-flower	Woodsorrel, yellow (Oxalis)
Common mullein	Morningglory, bigroot	Smoothdock	Woolly croton
Corn Spurry	Morningglory, ivyleaf	Sorrel, red (sheep)	Wormseed
Creeping Beggarweed	Morningglory, mexican	Sowthistle, annual	Yarrow, common
Creeping Jenny (creeping charlie)	Morningglory, red	Sowthistle, spiny	Yarrow, western
	Morningglory, tall	Spanish needles	Yarrow, yellow
	Morningglory, wolly	Speedwell, bi-lobed	

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 002217-00973.20121011.notif-proposed-highlighted.doc

2. Reason for Issue: ad claims